

P/N	TRIO-025-AU		TRIO-035-PV
Brand	AUO	Evergreen	PVI
Model Name	A025CN04-V0	Customized	PD035VX2(LF)
Screen Size	2.5"	2.8"	3.5"
Display Area (H*Vmm)	49.92 (H)×37.44 (V) mm	Customized	72 (H)×52.56 (V) mm
Outline Dimension (W*H*D mm)	59.63 (W)×42.94 (H)× 2.6 (D) mm	Customized	84.03 (W)×65.24 (H)×3.45 (D) mm
Number of Pixels (Display Colors)	16.7M	Customized	262,144
RGB Stripes(Pixel Configuration)	Serial	Customized	Stripe
Pixel Pitch (H*V mm)	480*240	Customized	640×(R, G, B)×480
Response Time	Tr=10 Tf=15 ms	Customized	Tr=15 Tf=25 ms
Brightness	180		650
Contrast Ration	300	Customized	400
Interface	FPC	Customized	TTL transmission interface
Voltage (Volt)	3.3	Customized	3.3 (V)
Power Consumption (Watts)	4 mA	Customized	TYP.=180 MAX=332 (mW)
Weight (g)	10.9	Customized	40±5 g
P/N	TRIO-043-HS	TRIO-050-PV	TRIO-056-TB
Brand	Hannstar	PVI	TOSHIBA
Model Name	HSD043I9W1-A	PD050VL1(LF)	LTD056ET3A
Screen Size	4.3"	5"	5.6"
Display Area (H*Vmm)	95.04 (H) x 53.856 (V)	101.76 (H)×74.88(V)	122.889(H)*78(V)
Outline Dimension (W*H*D mm)	105.5 x 67.2 x 2.9 (Typ.)	120.7(H)×92.8(V)×12.5(D) (Typ.)	136.8(H)*85.9(V)*2.95/4.6 (D)
Number of Pixels	480 RGB (H) x 272 (V)	640×(R,G,B)×480	1024*600
RGB Stripes	RGB Vertical stripe	Stripe	
Pixel Pitch (H*V mm)	0.198 (H) x 0.198 (V)	0.159(H)×0.156(V)	0.12*0.12 (W*H mm)
Response Time	Tr=3 Tf=7 ms	Tr=15 Tf=25 ms	MAX=80 ms
Brightness	315	528	
Contrast Ration	600	400	400
Interface		LVDS transmission interface	LVDS transmission interface
Voltage (Volt)	5	3.3	4
Power Consumption (Watts)	1.014	2.0141	1.4
Weight (g)	43.5 (Typ.)	173.6+10	61

P/N	TRIO-057-MTF	TRIO-064-LG	TRIO-065-AU
Brand	MTF	LG	AUO
Model Name	T057AMSLN-V6	LB064V02-TD01	G065VN01-V2
Screen Size	5.7"	6.4"	6.5"
Display Area (H*Vmm)			
Outline Dimension (W*H*D mm)			
Number of Pixels			
RGB Stripes			
Pixel Pitch (H*V mm)			
Response Time			
Brightness	500	500 (with B/L enhancement)	740
Contrast Ration			
Interface			
Voltage (Volt)			
Power Consumption (Watts)			
Weight (g)			
P/N	TRIO-070-PV	TRIO-084-AU	TRIO-084-MI
Brand	PVI	AUO	MITSUBISHI
Model Name	PM070WT2(LF)	G084SN05-V9	AA084XA03
Screen Size	7"	8.4"	8.4"
Display Area (H*Vmm)			
Outline Dimension (W*H*D mm)			
Number of Pixels			
RGB Stripes			
Pixel Pitch (H*V mm)			
Response Time			
Brightness	500		380
Contrast Ration			
Interface			
Voltage (Volt)			
Power Consumption (Watts)			
Weight (g)			

P/N	TRIO-089-NEC	TRIO-097-IN	TRIO-101-CM
Brand	NEC	CMO	CMO
Model Name	NL192108AC10-01D	GF097XN	N101L6-L0A
Screen Size	8.9"	9.7"	10.1"
Display Area (H*Vmm)			
Outline Dimension (W*H*D mm)			
Number of Pixels			
RGB Stripes			
Pixel Pitch (H*V mm)			
Response Time			
Brightness	980	205	280
Contrast Ration			
Interface			
Voltage (Volt)			
Power Consumption (Watts)			
Weight (g)			
P/N	TRIO-104-CM	TRIO-121-CM	TRIO-133-CM
Brand	CMO	CMO	CMO
Model Name	G104X1-L01	G121X1-L04	G13311-L02
Screen Size	10.4"	12.1"	13.3"
Display Area (H*Vmm)			
Outline Dimension (W*H*D mm)			
Number of Pixels			
RGB Stripes			
Pixel Pitch (H*V mm)			
Response Time			
Brightness	350	580	330
Contrast Ration			
Interface			
Voltage (Volt)			
Power Consumption (Watts)			
Weight (g)			

P/N	TRIO-150-AU	TRIO-150-CM	TRIO-154-CM
Brand	AUO	CMO	CMO
Model Name	G150XG01-V3	G150X1-L02	G154I1-LE1
Screen Size	15"	15"	15.4"
Display Area (H*Vmm)			
Outline Dimension (W*H*D mm)			
Number of Pixels			
RGB Stripes			
Pixel Pitch (H*V mm)			
Response Time			
Brightness	380	300	900 (with B/L enhancement)
Contrast Ration			
Interface			
Voltage (Volt)			
Power Consumption (Watts)			
Weight (g)			
P/N	TRIO-170-AU	TRIO-190-SS	TRIO-201-AU
Brand	AUO	SAMSUNG	AU
Model Name	G170EG01-V.0	LTM190E4-L02	M201UN02-V6
Screen Size	17"	19"	20.1"
Display Area (H*Vmm)			
Outline Dimension (W*H*D mm)			
Number of Pixels			
RGB Stripes			
Pixel Pitch (H*V mm)			
Response Time			
Brightness	380	200	225
Contrast Ration			
Interface			
Voltage (Volt)			
Power Consumption (Watts)			
Weight (g)			

P/N	TRIO-220-SS	TRIO-230-AU	TRIO-240-SS
Brand	SAMSUNG	AUO	SAMSUNG
Model Name	LTM220M1-L01	T230XW01-V3	LTM240CS06
Screen Size	21.5"	23"	24"
Display Area (H*Vmm)			
Outline Dimension (W*H*D mm)			
Number of Pixels			
RGB Stripes			
Pixel Pitch (H*V mm)			
Response Time			
Brightness	375	250	
Contrast Ration			
Interface			
Voltage (Volt)			
Power Consumption (Watts)			
Weight (g)			
P/N	TRIO-260-AU	TRIO-315-AU	TRIO-370-AU
Brand	AUO	AUO	AUO
Model Name	T260XW04-V.7	T315XW04-V3	T370HW02-V1
Screen Size	26"	31.5"	37"
Display Area (H*Vmm)			
Outline Dimension (W*H*D mm)			
Number of Pixels			
RGB Stripes			
Pixel Pitch (H*V mm)			
Response Time			
Brightness	610	505	540
Contrast Ration			
Interface			
Voltage (Volt)			
Power Consumption (Watts)			
Weight (g)			

P/N	TRIO-400-SS	TRIO-420-AU	TRIO-460-AU
Brand	Samsung	AUO	AUO
Model Name	LTI400HA06	G420XW02 V.0	P460HW03-V.0
Screen Size	40"	42"	46"
Display Area (H*Vmm)			
Outline Dimension (W*H*D mm)			
Number of Pixels			
RGB Stripes			
Pixel Pitch (H*V mm)			
Response Time			
Brightness	720	590	296
Contrast Ration			
Interface			
Voltage (Volt)			
Power Consumption (Watts)			
Weight (g)			
P/N	TRIO-550-AU	TRIO-650-AU	
Brand	AUO	AUO	
Model Name	P546HW01 V0	P645HW03.V.0	
Screen Size	55"	65"	
Display Area (H*Vmm)			
Outline Dimension (W*H*D mm)			
Number of Pixels			
RGB Stripes			
Pixel Pitch (H*V mm)			
Response Time			
Brightness	740	850	
Contrast Ration			
Interface			
Voltage (Volt)			
Power Consumption (Watts)			
Weight (g)			